Compliance

Applicable EMI / EMC Standards		
Category	**Reference Standards**	**Testing Level**
Conducted Emission	CISPR32	CLASS B
Radiated Emission	CISPR32	CLASS A
Electrostatic Discharge	IEC 61000-4-2	Level 4, Criteria A Level 3, Criteria A
Radiated Susceptibility	IEC 61000-4-3	Level 3, Criteria B
Electrical Fast Transient / Burst	IEC 61000-4-4	Level 3, Criteria A
Surge	IEC 61000-4-5	Level 3, Criteria A
Conducted Susceptibility	IEC 61000-4-6	Level 3, Criteria B
Power Frequency Magnetic Field	IEC 61000-4-8	Level 4, Criteria A
Voltage Dips & Interruption	IEC 61000-4-11	Criteria A & B
Safety	Approved to IEC / EN / UL 62368-1; IEC / EN 60601-1; IEC / EN 61558	

Ordering information

Product Code	Description	Certification
OPS3x5-350-12-A-1-CU	Open Frame Power Supply with 5 x 3 x 1.16" Form factor, 12 V / 25.00 A, 300 Watts with Forced Air Cooling & 12 V / 16.67 A, 200 Watts Convection Cooling	
OPS3x5-350-15-A-1-CU	Open Frame Power Supply with 5 x 3 x 1.16" Form factor, 15 V / 23.34 A, 350 Watts with Forced Air Cooling & 15 V / 13.34 A, 200 Watts Convection Cooling	
OPS3x5-350-24-A-1-CU	Open Frame Power Supply with 5 x 3 x 1.16" Form factor, 24 V / 14.59 A, 350 Watts with Forced Air Cooling & 24 V / 8.34 A, 200 Watts Convection Cooling	
OPS3x5-350-48-A-1-CU	Open Frame Power Supply with 5 x 3 x 1.16" Form factor, 48 V / 7.30 A, 350 Watts with Forced Air Cooling & 48 V / 4.17 A, 200 Watts Convection Cooling	